



# Business To Manufacturing Markup Language

## B2MML - Material

Version 0401 – October 2008

### Material Schema Documentation



THE FORUM FOR AUTOMATION AND MANUFACTURING PROFESSIONALS

IMPORTANT: While the information, data, and standards provided in this publication were developed and are presented in good faith in accordance with a reasonable process that was subject to intellectual property and antitrust policies to benefit the industry as a whole, the publication is provided “as is” for information and guidance only, and there is no representation or warranty of any type or kind, including but not limited to warranties of merchantability or fitness for a particular purpose, and no warranty that use of the information, data, or standards will not infringe patent, copyright, trademark, trade secret, or other intellectual property rights of any party.

# Table of Contents

1	Schema Scope.....	3
1.1	Key Information Assumptions.....	3
1.2	Key Use Assumptions.....	3
1.3	MaterialInformation .....	4
1.4	MaterialLot .....	4
1.5	MaterialSublot.....	4
1.6	MaterialDefinition.....	4
1.7	MaterialClass .....	4
1.8	QATestSpecification .....	4
2	Element Definitions .....	6
3	Transaction Elements .....	12
4	Diagram Convention .....	14

## Change History:

Change	Date	Person	Description
V01	7 April 2002	Dennis Brandl Dave Emerson	Initial release
V02	23 Sept 2003	Dennis Brandl Dave Emerson	<ul style="list-style-type: none"> <li>Added Location information to lot type</li> <li>Changed ##any to "Any" element of type "AnyType"</li> <li>Move StorageLocation and Quantity to MaterialLotType</li> </ul>
V03	26 Aug 2005	Dennis Brandl Dave Emerson	<ul style="list-style-type: none"> <li>Added substitution groups. One group added just before each Any element.</li> <li>Added MaterialLotID to MaterialSubLot so a stand alone MaterialSubLot element can be identified with a Lot ID.</li> </ul>
V0301	29 Dec 2005	Dennis Brandl	<ul style="list-style-type: none"> <li>Added properties to sublots</li> </ul>
V04	04 June 2007	Dennis Brandl	<ul style="list-style-type: none"> <li>Added transaction elements</li> </ul>
V0401	Oct 2008	Dennis Brandl	<ul style="list-style-type: none"> <li>Changed version number</li> </ul>

Copyright © 2008 WBF. All Rights Reserved. <http://www.wbf.org>

This WBF Work (including specifications, documents, software, and related items) referred to as the Business To Manufacturing Markup Language (B2MML) is provided by the copyright holders under the following license.

Permission to use, copy, modify, or redistribute this Work and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted provided the WBF is acknowledged as the originator of this Work using the following statement:

"The Business To Manufacturing Markup Language (B2MML) is used courtesy of the WBF."

In no event shall the WBF, its members, or any third party be liable for any costs, expenses, losses, damages or injuries incurred by use of the Work or as a result of this agreement.


Material from ANSI/ISA-88 and ANSI/ISA-95 series of standards used with permission of ISA - The Instrumentation, Systems, and Automation Society, [www.isa.org](http://www.isa.org)

# 1 Schema Scope

This document defines the information about material definitions, material classes, material lots, material sublots, and QA (Quality Assurance) tests that may be exchanged between business systems and manufacturing operations systems. This information is based on the data models and attributes defined in the ANSI/ISA 95.00.02 Enterprise/Control System Integration standard. Contact ISA (The Instrumentation, System, and Automation Society) for copies of the standard. Additional information on the standard is available at [www.isa.org](http://www.isa.org).

## 1.1 Key Information Assumptions

The data represented in these schemas is derived from the UML model below. This model is defined in the ANSI/ISA 95.00.02 standard. The information model in the model below is not hierarchical, so the key assumption is that the information may be accessed from any of four starting points: material class, material definition, lot, or QA test, as identified by the dotted collections in the figure.



Model of Exchanged Material Information

This schema uses a common schema for definition of elements that are used in multiple schemas, such as ID, Description, and Value. See the document defining the WBF95Common schema for definition of the common elements.

## 1.2 Key Use Assumptions

The model only defines the exchanged information and does not define the use of the information or encapsulation of the information in any defining transactions.



## 1.3 MaterialInformation

The main structuring element of the schema definition is MaterialInformation.

## 1.4 MaterialLot

A material lot object uniquely identifies a specific amount of material, countable or weighable. This describes the actual total quantity or amount of material available, its current state, and its specific property values.

MaterialLot elements may be used to contain information about specific material and subsets of the material stored as sublots. It may also include the definition of QA test results. It may include the list of material definitions the material belongs to and the list of QA test specifications associated with properties.

## 1.5 MaterialSublot

A material lot may be stored as separately identifiable quantities. Each separate identifiable quantity of the material is identified in a material subplot. All material sublots must contain the same material lot, so they use the material lot element's property values. A material subplot may be just a single item. Material sublots may have subplot specific properties, such as RFID tag IDs or other identification properties, maintained in a MaterialSublotProperty element.

Each material subplot also contains the location of the subplot, the quantity or amount of material available in the subplot, and a reference to the material lot. Material sublots may contain other sublots. For example, a subplot may be a pallet, each box on the pallet may also be a subplot, and each material blister pack in the box may also be a subplot.

## 1.6 MaterialDefinition

A material definition is a means to describe goods with similar characteristics for purposes of scheduling and planning. Examples of these may be "City Water", "HCl", and "Grade B Aluminum". The materials may be identified as raw, intermediate, or final and may have other state information, such as availability of safety information.

MaterialDefinition information may be used to contain information about material definitions. It may contain the list of material lots belonging to the definition and the list of QA test specifications associated with material definition properties.

## 1.7 MaterialClass

A material class is means of defining groupings material definitions for use in production scheduling or processing. An example of a material class is "Sweetener", with members of "Fructose", "Corn Syrup", and "Sugar Cane Syrup". Another example of a material class is "Water", with members of "City Water", "Recycled Water", and "Spring Water". A material definition may belong to zero or more material classes.

MaterialClass information may be used to contain information about material classes. It may contain the list of material definitions belonging to the class and the list of QA test specifications associated with material class properties.



## 1.8 QATestSpecification



A QA test specification may be associated with a material class property. This is typically used where a test is required to ensure that the material has the required property value. A QA test specification may identify a test for one or more material class properties. Not all properties need to have a defined QA test specification.




QATestSpecification information may be used to contain information about QA (Quality Assurance) tests. It may contain identifications of the tested material properties and the tested material class properties.



## 2 Element Definitions



Element/Type	Description
MaterialClass <b>MaterialClassType</b>	<p>Contains a definition of a material class, the properties associated with the class, and the list of material definitions associated with the class.</p>  <pre> classDiagram     class MaterialClassType {         ID         Description         MaterialClassProperty         MaterialDefinitionID         ExtendedMaterialClass         Any     }     MaterialClassType "1" -- "0..∞" Description     MaterialClassType "1" -- "0..∞" MaterialClassProperty     MaterialClassType "1" -- "0..∞" MaterialDefinitionID     MaterialClassType "1" -- "0..∞" ExtendedMaterialClass     MaterialClassType "1" -- "0..∞" Any     </pre>
MaterialClassProperty <b>MaterialClassPropertyType</b>	<p>Contains a definition of a property for a material class, the nominal value of the property and the ID of a QA test specification for the property.</p>  <pre> classDiagram     class MaterialClassPropertyType {         ID         Description         Value         QAMaterialTestSpecificationID         ExtendedMaterialClassProperty         Any     }     MaterialClassPropertyType "1" -- "0..∞" Description     MaterialClassPropertyType "1" -- "0..∞" Value     MaterialClassPropertyType "1" -- "0..∞" QAMaterialTestSpecificationID     MaterialClassPropertyType "1" -- "0..∞" ExtendedMaterialClassProperty     MaterialClassPropertyType "1" -- "0..∞" Any     </pre>




Element/Type	Description
MaterialDefinition <b>MaterialDefinitionType</b>	<p>Contains a definition of a material definition, the properties associated with the definition, the list of material class the definition belongs to, and the list of material lots belonging to the definition.</p>  <pre> classDiagram     class MaterialDefinitionType {         ID         Description         MaterialDefinitionProperty         MaterialClassID         MaterialLotID         ExtendedMaterialDefinition         Any     }     MaterialDefinitionType "1" -- "0..∞" ID     MaterialDefinitionType "1" -- "0..∞" Description     MaterialDefinitionType "1" -- "0..∞" MaterialDefinitionProperty     MaterialDefinitionType "1" -- "0..∞" MaterialClassID     MaterialDefinitionType "1" -- "0..∞" MaterialLotID     MaterialDefinitionType "1" -- "0..∞" ExtendedMaterialDefinition     MaterialDefinitionType "1" -- "0..∞" Any         </pre>
MaterialDefinitionProperty <b>MaterialDefinitionPropertyType</b>	<p>Contains a definition of a property for a material definition, the nominal value of the property and the ID of a QA test specification for the property.</p>  <pre> classDiagram     class MaterialDefinitionPropertyType {         ID         Description         Value         QAMaterialTestSpecificationID         ExtendedMaterialDefinitionProperty         Any     }     MaterialDefinitionPropertyType "1" -- "0..∞" ID     MaterialDefinitionPropertyType "1" -- "0..∞" Description     MaterialDefinitionPropertyType "1" -- "0..∞" Value     MaterialDefinitionPropertyType "1" -- "0..∞" QAMaterialTestSpecificationID     MaterialDefinitionPropertyType "1" -- "0..∞" ExtendedMaterialDefinitionProperty     MaterialDefinitionPropertyType "1" -- "0..∞" Any         </pre>

Element/Type	Description
MaterialInformation <b>MaterialInformationType</b>	<p>Contains material information, may include a list of material classes, material definitions, material lots, material sublots, and QA test specifications.</p> 



Element/Type	Description
MaterialLot <b>MaterialLotType</b>	<p>Contains a definition of a material lot, the properties associated with the lot, the material definition of the lot, a status of the lot, the list of material sub lots associated with the lot, an optional storage location and quantity.</p> 
MaterialLotProperty <b>MaterialLotPropertyType</b>	<p>Contains a definition of a property for a material lot, the nominal value of the property and the ID of a QA test specification for the property. It may contain a storage location and quantity, and test results from QA material tests.</p> 

Element/Type	Description
MaterialSublot <b>MaterialSublotType</b>	<p>Contains a definition of a material subplot, a status of the subplot, the storage location of the subplot, the quantity of the subplot, any sublots that make up the subplot, and the ID of the associated material lot.</p> 
QAMaterialTestSpecification <b>QAMaterialTestSpecificationType</b>	<p>Contains a definition of a QA (Quality Assurance) test specification, including the ID and version of the test, the list of tested material class properties, the list of tested material definition properties, the list of tested material lot properties, and application defined elements.</p> 

Element/Type	Description
TestedMaterialClassProperty <b><i>TestedMaterialClassPropertyType</i></b>	Contains an identification of a tested material class and a property ID. 
TestedMaterialDefinitionProperty <b><i>TestedMaterialDefinitionPropertyType</i></b>	Contains an identification of a tested material definition and a property ID. 
TestedMaterialLotProperty <b><i>TestedMaterialLotPropertyType</i></b>	Contains an identification of a tested material lot and a property ID. 



### 3 Transaction Elements

The following elements are defined to support the ISA 95 Part 5 transactions, using the transaction data types defined in the B2MML-Common.xsd schema.

Material Information Elements	Description
GetMaterialInformation	Get <i>MaterialClass</i> , <i>MaterialDefinition</i> , <i>MaterialLot</i> , <i>MaterialSublot</i> , and <i>QAMaterialTestSpecification</i> definitions.
ShowMaterialInformation	Returned information from the <i>GetMaterialInformation</i> message.
ProcessMaterialInformation	Process <i>MaterialClass</i> , <i>MaterialDefinition</i> , <i>MaterialLot</i> , <i>MaterialSublot</i> , and <i>QAMaterialTestSpecification</i> definitions.
AcknowledgeMaterialInformation	Returned status from the <i>ProcessMaterialInformation</i> message.
ChangeMaterialInformation	Change <i>MaterialClass</i> , <i>MaterialDefinition</i> , <i>MaterialLot</i> , <i>MaterialSublot</i> , and <i>QAMaterialTestSpecification</i> definitions.
RespondMaterialInformation	Returned status from the <i>ChangeMaterialInformation</i> message.
CancelMaterialInformation	Cancel <i>MaterialClass</i> , <i>MaterialDefinition</i> , <i>MaterialLot</i> , <i>MaterialSublot</i> , and <i>QAMaterialTestSpecification</i> definitions.
SyncMaterialInformation	Published <i>MaterialClass</i> , <i>MaterialDefinition</i> , <i>MaterialLot</i> , <i>MaterialSublot</i> , and <i>QAMaterialTestSpecification</i> definitions.

Material Class Elements	Description
GetMaterialClass	Get <i>MaterialClass</i> definitions.
ShowMaterialClass	Returned information from the <i>GetMaterialClass</i> message.
ProcessMaterialClass	Process <i>MaterialClass</i> definitions.
AcknowledgeMaterialClass	Returned status from the <i>ProcessMaterialClass</i> message.
ChangeMaterialClass	Change <i>MaterialClass</i> definitions.
RespondMaterialClass	Returned status from the <i>ChangeMaterialClass</i> message.
CancelMaterialClass	Cancel <i>MaterialClass</i> definitions.
SyncMaterialClass	Published <i>MaterialClass</i> definitions.

Material Definition Elements	Description
GetMaterialDefinition	Get <i>MaterialDefinition</i> definitions.
ShowMaterialDefinition	Returned information from the <i>GetMaterialDefinition</i> message.
ProcessMaterialDefinition	Process <i>MaterialDefinition</i> definitions.
AcknowledgeMaterialDefinition	Returned status from the <i>ProcessMaterialDefinition</i> message.
ChangeMaterialDefinition	Change <i>MaterialDefinition</i> definitions.
RespondMaterialDefinition	Returned status from the <i>ChangeMaterialDefinition</i> message.
CancelMaterialClass	Cancel <i>MaterialDefinition</i> definitions.
SyncMaterialDefinition	Published <i>MaterialClass</i> definitions.

Material Lot Elements	Description
GetMaterialLot	Get <i>MaterialLot</i> definitions.
ShowMaterialLot	Returned information from the <i>GetMaterialLot</i> message.
ProcessMaterialLot	Process <i>MaterialLot</i> definitions.
AcknowledgeMaterialLot	Returned status from the <i>ProcessMaterialLot</i> message.
ChangeMaterialLot	Change <i>MaterialLot</i> definitions.
RespondMaterialLot	Returned status from the <i>ChangeMaterialLot</i> message.
CancelMaterialLot	Cancel <i>MaterialLot</i> definitions.



Material Lot Elements	Description
SyncMaterialLot	Published <i>MaterialLot</i> definitions.

Material Sublot Elements	Description
GetMaterialSublot	Get <i>MaterialSublot</i> definitions.
ShowMaterialSublot	Returned information from the <i>GetMaterialSublot</i> message.
ProcessMaterialSublot	Process <i>MaterialSublot</i> definitions.
AcknowledgeMaterialSublot	Returned status from the <i>ProcessMaterialSublot</i> message.
ChangeMaterialSublot	Change <i>MaterialSublot</i> definitions.
RespondMaterialSublot	Returned status from the <i>ChangeMaterialSublot</i> message.
CancelMaterialSublot	Cancel <i>MaterialSublot</i> definitions.
SyncMaterialSublot	Published <i>MaterialSublot</i> definitions.

QA Material Test Specification Elements	Description
GetQAMaterialTestSpec	Get <i>QAMaterialTestSpecification</i> definitions.
ShowQAMaterialTestSpec	Returned information from the <i>GetQAMaterialTestSpec</i> message.
ProcessQAMaterialTestSpec	Process <i>QAMaterialTestSpecification</i> definitions.
AcknowledgeQAMaterialTestSpec	Returned status from the <i>ProcessQAMaterialTestSpec</i> message.
ChangeQAMaterialTestSpec	Change <i>QAMaterialTestSpecification</i> definitions.
RespondQAMaterialTestSpec	Returned status from the <i>ChangeQAMaterialTestSpec</i> message.
CancelQAMaterialTestSpec	Cancel <i>QAMaterialTestSpecification</i> definitions.
SyncQAMaterialTestSpec	Published <i>QAMaterialTestSpecification</i> definitions.

## 4 Diagram Convention

The schema diagrams using the following convention to illustrate the structure of the schema elements, the type of the elements and attributes, and the rules for optional elements and repetition.

